

**BRAVILOR
BONAMAT**

BUFFET



RLX-series



The taste of quality worldwide

| RLX-series with containers | RLX 75 | RLX 575 | RLX 585 | RLX 5 | RLX 55 |
|--|------------------|------------------|------------------|------------------|------------------|
| Coffee-making section | | | | | |
| Holding capacity (litres / cups) | 2 / 16 | 4 / 32 | 4 / 32 | 2 / 16 | 4 / 32 |
| Throughput per hour (litres / cups) | | | | | |
| 230V~ 50/60Hz | approx. 13 / 105 | - | - | approx. 13 / 105 | approx. 17 / 135 |
| 400V~ 3N 50/60Hz | approx. 13 / 105 | approx. 26 / 210 | approx. 26 / 210 | - | approx. 26 / 210 |
| Brewing time (minutes / containers) | | | | | |
| 230V~ 50/60Hz | approx. 7 / 1 | - | - | approx. 7 / 1 | approx. 7 / 2 |
| 400V~ 3N 50/60Hz | approx. 7 / 1 | approx. 7 / 2 | approx. 7 / 2 | - | approx. 7 / 2 |
| Hot water/steam section | | | | | |
| Holding capacity (litres) | 1,8 | 1,8 | 1,5 | - | - |
| Throughput per hour (litres) | | | | | |
| 230V~ 50/60Hz | approx. 18 | - | - | - | - |
| 400V~ 3N 50/60Hz | approx. 18 | approx. 18 | approx. 25 | - | - |
| Rated Power | | | | | |
| 230V~ 50/60Hz | 2065W | - | - | 2065W | 2065W |
| 400V~ 3N 50/60Hz | 3975W | 6040W | 7010W | - | 4130W |
| Dimensions (wxdxh) | 475x509x611 mm | 705x509x611 mm | 705x509x611 mm | 245x509x611 mm | 475x509x611 mm |

| RLX-series hot water (steam) modules | RLX 3 | RLX 4 |
|--------------------------------------|----------------|----------------|
| Hot water/steam section | | |
| Holding capacity (litres) | 1,8 | 1,5 |
| Throughput per hour (litres) | | |
| 230V~ 50/60Hz | approx. 18 | approx. 25 |
| Rated power | | |
| 230V~ 50/60Hz | 1910W | 2880W |
| Dimensions (wxdxh) | 245x509x448 mm | 245x509x448 mm |

Your Bravilor Bonamat dealer

We recommend:

- Bravilor Bonamat filter paper
- Renegite for descaling
- Cleaner for cleaning

www.bravilor.com

The taste of quality worldwide